

ZUZ-S 42/48/120/240VAC 2c/o

827110



Voltage monitoring relay, to monitor 1-phase supplies is used as a threshold value element, monitoring device and controlelement, measuring voltage is used as supply voltage, 2 auxiliary contacts (C/O), width = 22.5 mm, UB = 24 V AC, 24 V AC, 12 V AC, 240 V AC.

Technical details

General data

Approval: CE, UKCA, cULus Listed, EAC (Eurasian)

Technical data

Electrical data

Supply voltage (V): 42 - 240 V

Type of supply voltage U1: AC

Power consumption AC: 30 VA

Environmental data

Condensation permitted?: Not permitted

Mechanical data

Mounting position: any

Net weight: 120 g

Gross weight: 130 g

Environment

RoHS conformity: yes

REACH compliance: Contains no SVHC substances

WEEE classification (08/2018): 5 devices (feed size < 50cm)

Commercial data

Harmonized System Code: 85364900

UNSPSC 25: 39122205

EAN-Code:	4046548007701
ECLASS version:	ECLASS-13
ECLASS Reference Feature:	27371801
ETIM Version:	ETIM-9.0
ETIM Reference Group:	EG000019
ETIM Reference Feature:	EC001438
Volume:	0.255 dm ³